



WARRIOR™

HAND AND ARM PROTECTION
HAND DISPOSABLE PROTECTION
SPECIAL HAZARD PROTECTION
FOOT PROTECTION
EYE PROTECTION



AVAILABLE IN

 12 PAIRS PER PACK
 240 PAIRS PER CARTON

WHITE UNCOATED POLYESTER GLOVES

SIZE 7 - 10

- 13G white polyester liner
- Silicone free



TECHNICAL DETAILS	
CODE: DWGL185	<input type="radio"/>

PLEASE NOTE

*Gloves containing natural latex may produce an allergic reaction in some individuals.

Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

 1 PAIR PER POLYBAG
 12 PAIRS PER PACK
 240 PAIRS PER CARTON

BLACK FOAM LATEX GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black crinkle foam latex palm dip coating

TECHNICAL DETAILS	
WARNING: Contains Latex*	
EN388: 2016	
Abrasion Resistance - Level: 2	
Circular Blade Cut Resistance - Level: 1	
Tear Resistance - Level: 2	
Puncture Resistance - Level: 1	
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X	
CODE: DWGL020	<input type="radio"/>



AVAILABLE IN

 1 PAIR PER POLYBAG
 12 PAIRS PER PACK
 240 PAIRS PER CARTON

PU GLOVES

SIZE 6 - 11

- 13G black / grey / white polyester liner
- Black / grey / white PU palm dip coating



TECHNICAL DETAILS	
EN388: 2016	
Abrasion Resistance - Level: 3	
Circular Blade Cut Resistance - Level: 1	
Tear Resistance - Level: 3	
Puncture Resistance - Level: 1	
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X	
CODE: DWGL315	<input type="radio"/>



AVAILABLE IN
 
 1 PAIR PER POLYBAG
 12 PAIRS PER PACK
 240 PAIRS PER CARTON

NITRILE GLOVES

SIZE 7 - 11

- 13G black / white polyester liner
- Black / grey nitrile palm dip coating



TECHNICAL DETAILS	
EN388: 2016	
Abrasion Resistance - Level: 4	
Circular Blade Cut Resistance - Level: 1	
Tear Resistance - Level: 2	
Puncture Resistance - Level: 1	
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X	
CODE: DWGL280	<input type="radio"/>
CODE: DWGL035	<input type="radio"/>



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black nitrile full dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL165 •



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK FOAM NITRILE GLOVES

SIZE 5 - 12

- 15G grey nylon / spandex liner
- Black sandy foam nitrile palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL085 •



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY PU CUT B GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass liner
- Grey PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B

CODE: DWGL305 •



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK PU CUT D GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass / steel liner
- Black PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D

CODE: DWGL310 •



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON**GREY PU CUT C GLOVES**

SIZE 7 - 11

- 13G grey HPPE / glass liner
- Grey PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: C

CODE: DWGL090 •



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON**BLACK NITRILE CUT E GLOVES**

SIZE 7 - 11

- 13G green or black & grey HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: E

CODE: DWGL050 •



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON**BLACK NITRILE CUT F GLOVES**

SIZE 7 - 11

- 13G black HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: F

CODE: DWGL080 •



AVAILABLE IN



1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

GREY CUT D SLEEVE

SIZE 18"

- 13G grey HPPE / glass liner

DWSL025 10" pictured above



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: X

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D

EN407: 2004

Burning Behaviour - Level: X

Contact Heat - Level: 1

Convective Heat - Level: X

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: X

Large Quantities of Molten Metal - Level: X

CODE: DWSL035 (18") •



AVAILABLE IN



1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

YELLOW CUT B SLEEVE

SIZE 18"

- Yellow double layer aramid

DWSL045 10" pictured above



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: X

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B

EN407: 2004

Burning Behaviour - Level: X

Contact Heat - Level: 1

Convective Heat - Level: X

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: X

Large Quantities of Molten Metal - Level: X

CODE: DWSL055 (18") •

**PROTECT
YOUR ARMS
WITH WARRIOR.**





FOOD SAFE

AVAILABLE IN

50 HANDS PER BOX
10 BOXES PER CARTON
500 HANDS PER CARTON

ORANGE NITRILE FISH GRIP

SIZE S - 3XL

- Fish scale grip
- Powder free
- 24cm
- 6 mil
- Non sterile
- Single use
- Ambidextrous
- Extra tough
- Silicone free

TECHNICAL DETAILS

EN ISO 374-1: 2016 - Type B

EN 1186

n-Heptane (J) - Level: 3

AQL 1.5

40% Sodium Hydroxide (K) - Level: 6

37% Formaldehyde (T) - Level: 5

30% Hydrogen Peroxide (P) - Level: 3

EN ISO 374-5: 2016

Protection against bacteria & fungi - Pass

Protection against viruses - Pass

CODE: DWGL055



FOOD SAFE

AVAILABLE IN

50 HANDS PER BOX
10 BOXES PER CARTON
500 HANDS PER CARTON

BLACK NITRILE FISH GRIP

SIZE S - 3XL

- Fish scale grip
- Powder free
- 24cm
- 6 mil
- Non sterile
- Single use
- Ambidextrous
- Extra tough
- Silicone free

TECHNICAL DETAILS

EN ISO 374-1: 2016 - Type B

EN 1186

n-Heptane (J) - Level: 3

AQL 1.5

40% Sodium Hydroxide (K) - Level: 6

37% Formaldehyde (T) - Level: 5

30% Hydrogen Peroxide (P) - Level: 3

EN ISO 374-5: 2016

Protection against bacteria & fungi - Pass

Protection against viruses - Pass

CODE: DWGL060



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREEN NITRILE CHEMICAL GAUNTLETS

SIZE 7 - 11

- Flock lined
- Green nitrile coating

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 0

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN ISO 374-1: 2016 - Type A

Methanol (A) - Level: 2

n-Heptane (J) - Level: 6

40% Sodium Hydroxide (K) - Level: 6

96% Sulphuric Acid (L) - Level: 3

65% Nitric Acid (M) - Level: 3

99% Acetic Acid (N) - Level: 3

25% Ammonium Hydroxide (O) - Level: 5

EN ISO 374-5: 2016

Protection against Bacteria & Fungi - Pass

Protection against Viruses - Pass

CODE: DWGL250





WHITE WS100 TYPE 5, TYPE 6 COVERALL

SIZE S - 3XL

- SMMS (Spunbond, Meltblown:Meltblown, Spunbond) Polypropylene
- Seam Type: Stitched - Strong tight seam with high particle barrier properties
- 3-piece hood
- Elasticated wrists, waist and ankles
- Thumb loops
- 2-way front zipper
- Re-sealable storm flap



AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER VACUUM PACKED BAG
50 PCS PER CARTON

TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

CODE: DWHZ000



WHITE WS200 TYPE 5, TYPE 6 COVERALL

SIZE S - 3XL

- Microporous Polyethylene (PE) Laminate
- Seam Type: Stitched and Bound - Combine strength, maximum liquid and particle protection
- 3-piece hood
- Elasticated wrists, waist and ankles
- Thumb loops
- 2-way front zipper
- Re-sealable storm flap
- Stitched seams in torso but with the inner leg and crotch seam bound



AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER VACUUM PACKED BAG
50 PCS PER CARTON

TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

EN 1149-5: 2008

CODE: DWHZ010

WARRIOR COVERALLS ARE DESIGNED
TO PROTECT THE BODY IN VARIOUS
WORKING CONDITIONS.



WHITE WS250 TYPE 5, TYPE 6 COVERALL

SIZE S - 3XL

- Microporous Polyethylene (PE) Laminate
- Seam Type: Bound - Maximum strength, maximum liquid and particle protection
- 3-piece hood
- Elasticated wrists, waist and ankles
- Thumb loops
- 2-way front zipper
- Re-sealable storm flap
- All elastication sealed and enclosed



AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER VACUUM PACKED BAG
40 PCS PER CARTON

TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

EN 14126: 2003

EN 1149-5: 2008

CODE: DWHZ015



BLACK ACTION ANKLE BOOTS

UK 4 - 13 (EU 37 - 48)

- Black action crazy horse waxy leather upper
- Grey nylon sandwich mesh lining
- Black oxford nylon mesh padded collar
- TPU heel kick off support
- 5 gun metal hexagonal eyelets with gun metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO175

COMING SOON



BLACK L / W MESH TRAINERS

UK 3 - 12 (EU 36 - 47)

- Black lightweight nylon mesh upper
- Black sandwich mesh lining and pull on woven heel loop
- Oxford padded collar and tongue
- Black insock with anti-static stitching
- TPU heel and ankle support
- TPU scuff toe protector
- 5 black round eyelets
- Composite midsole
- Cemented dual density EVA / rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO165



LADIES TRAINERS

UK 3 - 8 (EU 36 - 42)

- Black action nubuck leather upper
- Padded PU collar
- 3 pairs of blind eyelets to aid easy lacing
- 1 pair of plastic reinforced eyelets
- Moisture wicking textile sandwich mesh lining in contrast black and pink colours
- Replaceable, full length cushioned insock, perforated to aid airflow
- Composite midsole
- Single density rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO160



BLACK COMPOSITE UNIFORM BOOTS

UK 3 - 13 (EU 36 - 48)

- Black smooth action leather
- Dark grey sandwich mesh nylon lining
- PU padded collar and tongue
- 4 woven loop black / grey / black lace fixings
- Black flexi EVA insock with anti-static stitching
- Composite midsole
- Dual density PU / PU sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO100

HELP PREVENT THE
RISK OF INJURIES BY
WEARING QUALITY
WARRIOR BLACK WAXY
COMPOSITE WP BOOTS.

QUALITY FOOT PROTECTION.



WATER RESISTANT

Designed to keep your feet dry



PRACTICAL

Designed for ease of movement and
comfort in all working conditions



ANTI-STATIC
PROPERTIES

METAL FREE

CLASS FIBRE
TOE CAP

FUEL OIL
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX
5 PAIRS PER CARTON

BLACK WAXY COMPOSITE WP BOOTS

UK 4 - 12 (EU 37 - 47)

- Black full grain buffalo waxy leather upper
- Water resistant
- Grey sandwich mesh and waterproof bag lining
- Grey oxford nylon mesh padded collar and tongue
- Black TPU anti scuff toe protector
- TPU ankle and heel support
- 4 black plastic hooks and 1 woven loop
- Gel heel insock with anti-static stitching
- Composite midsole
- Grey EVA midsole with black / red rubber outsole
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR HRO SRC

CODE: DWFO090





AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
240 PAIRS PER CARTON

CLEAR LENS SPECTACLE

ONE SIZE

- Black nylon arms and frame
- Clear polycarbonate lens
- Wide vision with side shields
- Adjustable arms



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

CODE: DWEY020 ●

CLEAR LENS SPECTACLE

ONE SIZE

- Clear polycarbonate arms and frame
- Lightweight and comfortable



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 2C-1.2

CODE: DWEY045 ●

UV
FILTER

AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON

UV
FILTER

AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON



CLEAR LENS SPECTACLE

ONE SIZE

- Black nylon arms
- Clear polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 2-1.2

CODE: DWEY030 ●

YELLOW LENS SPECTACLE

ONE SIZE

- Black nylon arms
- Yellow polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 2-1.2

CODE: DWEY010 ●

HELP PREVENT THE
RISK OF INJURIES TO
THE EYES BY WEARING
QUALITY WARRIOR
EYE PROTECTION.

PROTECT YOUR EYES.



ANTI-SCRATCH

Our spectacles are less vulnerable
to scratching



LONG LASTING

High quality, durable products



UV
FILTER



ANTI FOG



ANTI
SCRATCH

AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON



SMOKE LENS SPECTACLE

ONE SIZE

- Black nylon arms
- Smoke polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord

TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 5-3.1

CODE: DWEY005





ANTI FOG

ANTI
SCRATCH

AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON

CLEAR INDIRECT VENT GOGGLE

ONE SIZE

- Clear PVC frame
- Clear polycarbonate lens
- Lightweight and comfortable
- Indirect vents



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Medium Impact Energy - B

Fields of Use - 3 Liquids

CODE: DWEY040 ●



VALVED

5 MASKS PER BOX
40 BOXES PER CARTON
200 MASKS PER CARTON

FFP3 NR MOULDED RESPIRATOR

ONE SIZE

- Contour fit
- Clear vision
- Maintenance free
- Adjustable nose bridge
- Twin elastic headbands
- Easy breathing / speaking
- Comfortable foam nose seal
- Lightweight disposable respirator



CAT. III

TECHNICAL DETAILS

EN149: 2001+A1: 2009

Protection level FFP3 (with exhalation valve)

CODE: DWRE025



VALVED

10 MASKS PER BOX
40 BOXES PER CARTON
400 MASKS PER CARTON

FFP2 NR MOULDED RESPIRATOR

ONE SIZE

- Contour fit
- Clear vision
- Maintenance free
- Adjustable nose bridge
- Twin elastic headbands
- Easy breathing / speaking
- Comfortable foam nose seal
- Lightweight disposable respirator



CAT. III

TECHNICAL DETAILS

EN149: 2001+A1: 2009

Protection level FFP2 (with exhalation valve)

CODE: DWRE015

Eguchi Iwao South Africa

Johannesburg Office
Unit 12 Dawn Park,
5 Tugela Road,
Pomona,
Kempton Park,1619
info@eguchi.co.za
+27(0)11 396 1161

Eguchi Iwao Europe

Banbury Office
Suite 4, The Granary, Upton Estate
Home Farm Drive, Banbury,
Oxfordshire,
X15 6HU
orderseu@eguchi-iwao.com
+44 (0) 3301 289

360 Supply Solutions

Unit 12 Dawn Park,
5 Tugela Road,
Pomona,
Kempton Park,1619
admin@360ss.co.za
+27(0)11 396 1161

Eguchi Iwao Europe

Warehouse
Orchard Farm Nursery,
Tysoe Road, Lower Tysoe, Warwickshire,
CV35 0BU
Warehouse
orderseu@eguchi-iwao.com
+44 (0) 7720 378 416

Woodfinishes

Unit 19B, Sea King Road, Lynx Industrial Trading
Estate Yeovil
BA20 2NZ
info@woodfinishes-ltd.co.uk
+44 1935 432841

Eguchi Iwao South Africa

Durban Office
31 Joyner Road, Prospecton, Durban, 4110
South Africa
info@eguchi.co.za
+27 (0) 319 130 600

WARRIORTM

